

Package: `rmarchingcubes` (via `r-universe`)

August 20, 2024

Type Package

Title Calculate 3D Contour Meshes Using the Marching Cubes Algorithm

Version 0.1.3

Date 2021-06-14

Author S. H. Wilks <sw463@cam.ac.uk> [aut, cre], Thomas Lewiner
<lewiner@gmail.com> [aut]

Maintainer S. H. Wilks <sw463@cam.ac.uk>

Description A port of the C++ routine for applying the marching cubes algorithm written by Thomas Lewiner et al. (2012) <doi:10.1080/10867651.2003.10487582> into an R package. The package supplies the `contour3d()` function, which takes a 3-dimensional array of voxel data and calculates the vertices, vertex normals, and faces for a 3d mesh representing the contour(s) at a given level.

URL <https://github.com/shwilks/rmarchingcubes>

BugReports <https://github.com/shwilks/rmarchingcubes/issues>

Language en-US

License MIT + file LICENSE

Imports Rcpp (>= 1.0.5)

LinkingTo Rcpp, RcppArmadillo

Roxygen list(markdown = TRUE)

RoxygenNote 7.1.1

Suggests rmarkdown, knitr, testthat (>= 3.0.0)

Config/testthat/edition 3

VignetteBuilder knitr

Repository <https://shwilks.r-universe.dev>

RemoteUrl <https://github.com/shwilks/rmarchingcubes>

RemoteRef HEAD

RemoteSha c68f49ef10f970d866bbf178ea0ff5a79ceddbc1

Contents

contour3d	2
Index	3

contour3d	<i>Compute Isosurface, a Three Dimension Contour</i>
-----------	--

Description

Computes a 3D contours or isosurface by the marching cubes algorithm.

Usage

```
contour3d(griddata, level, x, y, z)
```

Arguments

griddata	A three dimensional array from which to calculate the contour
level	The level at which to construct the contour surface
x, y, z	locations of grid planes at which values in griddata are measured

Value

Returns a list with coordinates of each surface vertex, indices of the vertices that make up each triangle, and surface normals at each vertex

Index

contour3d, [2](#)